


# LARGE FORMAT CATALOGUE





# Contents



# *Exhibition* Displays

Displays That Demand the Spotlight

Our display solutions, from versatile exhibition pop-ups to sleek stretch fabric displays, are crafted to showcase your brand with style and impact. Whether it's durable pop-ups for repeated use or stunning stretch fabric designs in curved or straight forms, we have everything you need to grab attention at trade shows, exhibitions, and events.



## Exhibition Pop-Up



## Product Information

### 01. Eye-Catching Visuals


Ensure your brand stands out with ultra-vibrant, high-resolution printing that delivers sharp text, bold colours, and stunning detail.

### 02. Versatile Applications

Perfect for exhibitions, trade shows, retail promotions, and even pop-up shops, these displays adapt to any event or setting.

### 03. Built for Durability

Crafted from stay-flat materials, these displays are designed to last, offering reliable performance and the option to refresh your graphics easily.



## Options

Feature	Information
Sizes	1x3 – frame: 835mm, width: 1240mm, depth: 306mm, height: 2235mm 2x3 – frame: 1590mm, width: 1930mm, depth: 485mm, height: 2235mm 3x3 – frame: 2275mm, width: 2540mm, depth: 685mm, height: 2235mm 4x3 – frame: 2865mm, width: 3070mm, depth: 960mm, height: 2235mm
Stock	Durable 500mic Coala for long-lasting use.
Key Benefits	<ul style="list-style-type: none"> <li>• Square scissor frame provides stability, with adjustable feet ensuring balance on uneven floors.</li> <li>• Includes a wheeled transport case that doubles as a handy podium.</li> <li>• Easily order replacement graphics to refresh your stand's message.</li> </ul>

## Stretch Fabric Display



## Product Information

### 01. Stunning Clarity

Showcase intricate designs and bold messages with ultra-high-resolution printing, delivering vibrant colours and sharp details at sizes up to 5 metres wide.

### 02. Versatile Applications

Ideal for trade shows, seminars, photo booths, and retail campaigns, these displays seamlessly adapt to a variety of promotional needs.

### 03. Effortless Setup

Lightweight and easy to assemble, these stretch fabric displays are designed for quick, hassle-free setup, with the fabric stretching smoothly over the frame for a sleek, wrinkle-free, professional finish.




## Options

Feature	Information
Sizes	<p>Straight:</p> <p>1m - 1000 x 2280mm</p> <p>2m - 2000mm x 2280</p> <p>3m - 2922 x 2280mm</p> <p>4m - 4000 x 2280mm</p> <p>5m - 5000 x 2280mm</p> <p>Curved:</p> <p>2m - 2000 x 2280mm</p> <p>3m - 3230 x 2280mm</p> <p>4m - 4380 x 2280mm</p> <p>5m - 5480 x 2280mm</p>
Stock	Seamless polyester fabric for a smooth and wrinkle-free appearance.
Key Benefits	<ul style="list-style-type: none"> <li>The washable material can be used time and time again without compromising quality.</li> <li>Comes with numbered poles for quick, flat-pack-style setup.</li> <li>Taut graphic, rounded poles, and double-sided design for all-angle visibility.</li> </ul>

# Technical Specifications

## Size Guide



## Assembly Instructions

Follow these straightforward steps to put together your exhibition stand:

### Exhibition Pop Ups:

- Lay out and check all the components for your display.
- Holding the frame by the two central poles, pull out and pull up until fully extended.
- Ensure the round adjustable feet are on the bottom of the frame.
- Expand the frame until the magnetic locking arms are connected together.
- Then attach the magnetic bars onto the nodes on the front and back of the frame.
- Simply place the top of the graphic onto the frame into the groove and it will attach.
- Attach the rest of the panels ensuring each edge is aligned against the magnetic bars.
- Attach your lights at the top to illuminate your display.
- Your carry case doubles as a podium.

### Stretch Fabric Displays:

- Lay out and check all the components for your display.
- Match up the numbers on your poles and begin slotting them together.
- Ensure all of the numbers match.
- Click the corners into place.
- Line up the graphic to the top of your frame and pull it over the corners.
- Pull the graphic down the poles until you reach the bottom of the frame.
- Zip up the graphic to create a tight fit.

## Additional Information

<h3>Materials Information</h3>	<p><b>Exhibition Pop Ups:</b></p> <p><b>Graphics:</b> Coala Stay-Flat Pop Up 500mic A textured white 500 micron, super flat, printable grey back hybrid PVC/polyester mix film. Scuff resistant satin crystal finish, no need for lamination. Is capable of vibrant colours and has a grey 'stop light' backing. It has a matt friction back coating to help aid printing alignment.</p> <p><b>Frame:</b> Magnetic Square Scissor Aluminium Frame Dimensions Mag Bar Mag Tape: (25mm Wide) Roll of Mag Tape: 12.70mm Mag Bar Profile size: 29mm wide x 6.50mm high Straight Aluminium Rigidiser Bar: 664mm +0mm – 1mm</p> <p><b>Stretch Fabric Displays:</b></p> <p>F/Flex Tissaro Flex One-Way Stretch Display Fabric 260gsm Flex is a super supple fabric, perfect for punchy prints on stretch frame systems. It produces accurate and appealing graphics that don't distort when stretched.</p> <p>100% polyester design Fire: DIN fire-rated Weight: 260gsm Denier: 150 x 70 Weave method: Warp-knitted Fixation temperature: 190–210°C, 1–2 min Yellowing temperature: &gt;210°C\</p> <p><b>Frame:</b> Tubular aluminium frame with numbered poles that click together.</p>
<h3>Printing Process</h3>	<p><b>Exhibition Pop Ups:</b> Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p> <p><b>Stretch Fabric Displays:</b> Dye-sublimation printing for durable, high-quality fabric graphics.</p>

<p><b>Sizes</b></p>	<p><b>Exhibition Pop Ups:</b></p> <p>1x3 – frame: 835mm, width: 1240mm, depth: 306mm, height: 2235mm</p> <p>2x3 – frame: 1590mm, width: 1930mm, depth: 485mm, height: 2235mm</p> <p>3x3 – frame: 2275mm, width: 2540mm, depth: 685mm, height: 2235mm</p> <p>4x3 – frame: 2865mm, width: 3070mm, depth: 960mm, height: 2235mm</p> <p><b>Stretch Fabric Displays:</b></p> <p><b>Straight:</b></p> <p>1m – 1000 x 2280mm</p> <p>2m – 2000 x 2280mm</p> <p>3m – 2922 x 2280mm</p> <p>4m – 4000 x 2280mm</p> <p>5m – 5000 x 2280mm</p> <p><b>Curved:</b></p> <p>2m – 2000 x 2280mm</p> <p>3m – 3230 x 2280mm</p> <p>4m – 4380 x 2280mm</p> <p>5m – 5480 x 2280mm</p>
<p><b>Sustainability</b></p>	<p>Check with your local recycling facility to find out if they accept aluminium, PVC or fabric and if there are any special handling requirements.</p>
<p><b>Environment</b></p>	<p>Most suitable for indoor use. Suited to temporary outdoor use, weather permitting, keep dry to prevent rust and preserve the quality of the print.</p>

# *Large Format* **Strut Cards**

**Stand Tall and Be Seen with Impactful Indoor Advertising**

Large format strut cards are your go-to solution for eye-catching, professional indoor promotions. Crafted from sturdy 2000-micron FSC®-certified material, these lightweight boards are perfect for short-term campaigns. Easy to install and move, they provide a cost-effective and impactful way to showcase your brand's message. Win-win!





## Product Information

### 01. Cost-Effective and Eco-Friendly

Our large format struts are FSC®-certified, fully recyclable, and budget-friendly, offering an environmentally conscious choice without compromising quality.

### 02. Lightweight Design

Featuring a handy pull-out design for secure support of your display, the struts are easy to move and set up, perfect for temporary installations.

### 03. Enhanced Brand Impact

The sizable format allows for larger graphics and messaging, while the high-quality 2000-micron card offers a durable and premium finish.

## Why Choose Large Format Strut Cards?

Large format strut cards are a practical and eye-catching solution for indoor advertising. Perfect for short-term campaigns, they offer easy installation and mobility while maintaining a professional appearance. These struts are ideal for point-of-sale displays, retail promotions, and event signage, providing high visibility and flexibility for various marketing needs.


- **Point of Sale Displays:** Highlight products or offers directly at the point of purchase, encourage customers to buy that little something extra and boost impulse sales.
- **Retail Promotions:** Perfect for in-store advertising, draw attention to seasonal sales or special promotions, driving foot traffic and increasing sales conversions.
- **Event Signage:** Ideal for exhibitions and trade shows, attract visitors to your stand and effectively showcasing your offerings and be sure to generate leads and sales.
- **Product Highlighting:** Use for product launches or to highlight specific items in high traffic areas and get your customers spending.
- **Cross-Promotions:** Excellent for promoting complementary products or services, encouraging customers to buy more and maximise your profits.

# Technical Specifications

## Size Guide

Minimum: 594mm x 841mm

Maximum: 841mm x 1189mm



## Assembly Instructions

Follow these straightforward steps to display your strut:

- Lay the display board flat on a stable surface.
- Locate the strut attached to the back of the board.
- Gently pull the strut outward until it points backwards, ensuring it locks securely into position.
- Ensure the strut is angled properly to support the weight of the display board.

## Care Instructions

To maintain the quality and longevity of your strut:

- When moving or setting up your display, handle it gently to avoid bending or damaging the strut or board.
- Avoid exposing your display to moisture or damp environments, as this may compromise its structure and finish.
- If your display collects dust, use a soft, dry cloth to gently wipe it clean. Avoid using water, cleaning sprays, or abrasive materials.
- When not in use, store your display in a flat, dry location to maintain its shape and durability.

## Additional Information

<b>Materials Information</b>	<p>Sturdy 2000mic Libra Display Board is a high white display board made from FBB virgin fibre liners with a grey middle of recycled fibre. Libra Display Board is available with FSC® recycled 100% certification – ref. FSC COC Code – SA-COC-001641</p> <p>Manufacturing Variations:</p> <ul style="list-style-type: none"> <li>Size +/- 2mm</li> <li>Caliper +/- 7%</li> <li>GSM +/- 7%</li> <li>RH 45-75% @ 17°C – 23°C</li> <li>Gloss 50 (-10) (tappi T480)</li> <li>Brightness 88.5% +/- 2.0 (ISO 2470)</li> <li>Whiteness 115 (ISO 2470)</li> </ul>
<b>Printing Process</b>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p>
<b>Sizes</b>	<p>A1 – 594mm x 841mm A0 – 841mm x 1189mm</p>
<b>Sustainability</b>	<p>FSC®-certified, with a core manufactured from recycled fibres, they're fully recyclable.</p>
<b>Environment</b>	<p>Suitable for indoor use only.</p>

# *Selfie* Frames

Frame the Fun, Snap the Moment

Get your brand in the picture, literally! Our selfie frames are the perfect way to boost engagement at events, giving you a fun and interactive way to capture memorable moments. Whether it's a corporate event, fundraiser, or personal party, these frames make every snapshot shareable.





## Product Information

### 01. Lightweight and Easy to Hold

Made from durable yet lightweight 5mm Foam PVC, our selfie frames are easy to carry and comfortable to pose with.

### 02. High Quality Print and Finish

Printed using state-of-the-art printers with LED-UV technology, these frames boast vibrant colours and crisp details with precision cutting for a sleek, professional finish.

### 03. Perfect for Any Occasion

From brand activations to weddings, sporting events to social media campaigns, our selfie frames guarantee maximum exposure with minimum effort.


## What Can Selfie Frames Be Used For?

Completely customisable and handy to transport, selfie frames can be used for all kinds of events and celebrations, perfect for:

- **Parties and Celebrations:** Weddings, birthdays, and baby showers.
- **Sporting Events:** Charity runs, team celebrations, and fan engagement.
- **Corporate Events:** Brand activations, trade shows, and product launches.
- **Social Media Marketing:** Hashtag campaigns, giveaways, and user-generated content.
- **Festivals and Community Events:** Music festivals, pride events, and seasonal markets.
- **Fundraising and Charity:** Awareness campaigns, donation drives, and sponsored events.

# Technical Specifications

## Size Guide



## Care Instructions

To maintain the quality and longevity of your selfie frame:

- Keep it dry, avoid exposure to rain or excessive moisture.
- Store flat, prevent warping by storing your frame on a flat surface.
- Handle with care, Foam PVC is lightweight but can bend under pressure.
- Wipe gently, use a soft, dry cloth to remove dust and fingerprints.
- Avoid direct sunlight, prolonged exposure may cause fading over time.

## Additional Information


<b>Materials Information</b>	<p><b>Foamalite Express:</b></p> <p>Crafted from durable 5mm co-extruded expanded rigid PVC sheet consisting of high-quality white cover layers and a black recycled core.</p> <p>Apparent density (kg/m<sup>3</sup>): 400-550</p> <p>Surface hardness (Shore D): 35</p> <p>Max. service temperature (°C): 55</p> <p>Coefficient of linear expansion (mm/m·K): 0.07</p> <p>Water absorption (23°C – 24h): &lt;1%</p> <p>Behaviour in fire: C-s3, d0 (2-10mm). M1 (2-10mm)</p>
<b>Printing Process</b>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p>
<b>Finishing Method</b>	<p>Comes printed and pre-cut with rounded corners ready to use.</p>
<b>Sizes</b>	<p>A1 – 594mm x 841mm</p>
<b>Sustainability</b>	<p>Our foam can be recycled through specialist recyclers who can recycle PVC.</p>
<b>Environment</b>	<p>Our foam board is waterproof to an extent and can be used outdoors; however, we would recommend using it in the short term or indoors only to protect your artwork.</p>

# *Roller* Banners

**Roller Banners That Turn Heads, Wherever You Roll**

Our roller banners are the perfect portable solution for showcasing your brand, whether you're at a trade show, exhibition, or event. Made from high-quality materials and featuring vibrant, sharp printing, they're easy to set up and take down, making them a versatile and impactful addition to your marketing toolkit. From budget-friendly options to premium displays, there's something to suit every business.





## Product Information

### 01. Use Over and Over Again

Our roller banners are printed on robust 330gsm Greyback PET Laminated PVC, a strong, flexible plastic material that stands up to repeated use and features a sleek, matt finish that enhances professionalism.

### 02. Transport & Protection

Keeping your investment protected, every roller banner comes with a free carry case to make transport a breeze and to ensure your banner is safe from damage, event after event.

### 03. Speedy Set Up

Our roller banners can be assembled by a single person in less than two minutes, a convenient solution for busy businesses who are always on the go.

## Stock Options

Products	Size Options	Weight	Best For	Key Benefits	Cost
Standard	800mm x 2000mm, 850mm x 2000mm, 1000mm x 2000mm, 1200mm x 2000mm, 1500mm x 2000mm	Approx. 3kg	Pop-up shops, trade shows, or affordable portable displays.	Lightweight, high-quality, affordable, includes a handy carry case.	£
Premium	800mm x 2000mm, 850mm x 2000mm, 1000mm x 2000mm	Approx. 5kg	Professional settings prioritising durability and sleek design.	Sleek premium design with discreet base cassette; includes a luxury padded carry case.	££
Wide	1200mm x 2000mm, 1500mm x 2000mm	Approx. 6kg	Large events or presentations needing a bold statement.	Large print area; ideal as a portable backdrop	££
Double Sided	800mm x 2000mm	Approx. 4.2kg	Events requiring visibility from multiple angles.	Two-sided print for double the visibility.	£££


# Technical Specifications

## Size Guide

Minimum: 800mm x 2000mm

Maximum: 1500mm x 2000mm

*Note: Size does not include cassette.*



## Assembly Instructions

Follow these straightforward steps to display your roller banner:

- Remove the cassette from the carry case and pull out the feet (if standard or wide).
- Assemble the pole, slotting the tubes into each other.
- Insert the pole into the hole on the base of the cassette.
- Pull the artwork out of the cassette fully.
- Attach the lip on the top of the artwork securely to the hook on the pole.

## Care Instructions

To maintain the quality and longevity of your roller banner:

- Always store your roller banner in its carry case when not in use.
- Avoid pulling the banner too hard or twisting the base during setup.
- When retracting the banner, ensure it rolls evenly into the base.
- Use a soft, dry cloth to remove dust or light marks. For tougher stains, use a damp cloth, but avoid harsh chemicals that might damage the print.

## Additional Information

<b>Materials Information</b>	<p><b>Max-Flat Light-Stop Roll-Up Media 330</b></p> <p>The 330gsm light weight grey back banner is a PET laminated with white printable PVC substrate.</p> <p>The material is made with grey back for high opacity and a matte finish for vivid graphic printing. It doesn't curl and has an extremely clear edge for application.</p> <p>Tensile Strength (N/5cm): 902x873  Tear Strength (N): 25x23  Peeling Strength (N/5cm): 50  Weight / GSM: 330  Finish: Matte  Shelf Time: 12 months  Application Temperature: 5 – 130°C  Durability: 12 months</p>
<b>Printing Process</b>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text, printed at up to 1200 DPI for stunning clarity.</p>
<b>Finishing Method</b>	<p>Metal cassette with pre-fitted artwork and comes with a free carry case to make transport easy and safe from damage.</p>
<b>Size</b>	<p><b>Standard:</b> 800mm x 2000mm, 850mm x 2000mm, 1000mm x 2000mm, 1200mm x 2000mm, 1500mm x 2000mm</p> <p><b>Premium:</b> 800mm x 2000mm, 850mm x 2000mm, 1000mm x 2000mm</p> <p><b>Double sided:</b> 800mm x 2000mm</p> <p><b>Wide:</b> 1200mm x 2000mm, 1500mm x 2000mm</p>
<b>Weight</b>	<p><b>Standard</b> approximately 3kg, <b>Premium</b> approximately 5kg, <b>Double sided</b> approximately 4.2kg, and <b>Wide</b> approximately 6kg.</p>
<b>Base Options</b>	<p><b>Standard and wide</b> bases come with swing-out feet for stability.</p> <p><b>Premium and double sided</b> bases have sleek cassette that conceals the feet, offering a more professional finish.</p>
<b>Sustainability</b>	<p>Made from 100% recyclable polypropylene, making it an eco-friendly choice. Our roller banner cassettes can also be recycled but please check with your local authority.</p>
<b>Environment</b>	<p>Suitable for indoor use only.</p>

# Stretch Fabric Tube Banners

Make Every Space a Branding Opportunity

Elevate your event displays with our stretch fabric tube banners, combining the portability of traditional roller banners with the sleek, high-impact visuals of stretch fabric. Printed on double sided polyester, these banners feature a slim, lightweight tube frame designed for easy setup and effortless transport, making them perfect for on-the-go promotions, trade shows, and exhibitions.





## Product Information

### 01. Marketing That Stands Tall


For a display that's professional, modern, and impossible to ignore, our Stretch Fabric Tube Banners are the perfect choice. Designed to make your messaging pop, these banners offer a seamless, wrinkle-free finish that looks good from every angle. Plus, with a premium option available, you can enjoy sleek rounded corners and a weighted base for greater stability.

### 02. Perfect Fit, Effortless Setup

Crafted from durable 260gsm seamless polyester fabric, our banners offer a snug, professional fit over a lightweight aluminium frame. The numbered poles click together easily, with stabilising feet for a sturdy, flat-pack-style setup, plus, a carry case is included for hassle-free transport.

### 03. Built to Last

Designed for repeated use, the washable fabric ensures vibrant, fade-resistant colours every time. Your branding stays sharp, strong, and striking. Quick to assemble, effortless to store, and you can even order replacement graphics to switch up your messaging.



## Options


Products	Best For	Key Benefits	Cost
Standard	<ul style="list-style-type: none"> <li>Indoor events and exhibitions.</li> <li>Retail promotions.</li> <li>Portable marketing.</li> </ul>	<ul style="list-style-type: none"> <li>Two feet for stability.</li> <li>Standard square corners.</li> <li>Handy travel case.</li> </ul>	£
Premium	<ul style="list-style-type: none"> <li>High-traffic areas.</li> <li>Luxury branding and corporate events.</li> <li>Outdoor use in sheltered areas.</li> </ul>	<ul style="list-style-type: none"> <li>Premium sturdy, powder coated weighted base provides great stability.</li> <li>Sleek, rounded corners.</li> <li>Handy travel case.</li> </ul>	££

# Technical Specifications

## Size Guide

800mm x 2280mm

*Note: Size does not include feet.*



## Assembly Instructions

Follow these straightforward steps to put together your stretch fabric tube banner:

- Lay out and check all the components for your display.
- Match up the numbers on your poles and begin slotting them together.
- Ensure all of the numbers match.
- Click the corners into place.
- Line up the graphic to the top of your frame and pull it over the corners.
- Pull the graphic down the poles until you reach the bottom of the frame.
- Zip up the graphic to create a tight fit.

## Care Instructions

To maintain the quality and longevity of your stretch fabric tube banner:

- Machine wash on a gentle cycle with cold water and mild detergent.
- Do not tumble dry; air dry only to maintain fabric tension.
- Avoid using bleach or harsh chemicals that can damage the print.
- Store in a clean, dry space to prevent creasing or discolouration.

## Additional Information

<b>Materials Information</b>	<p><b>Stretch Fabric:</b> F/Flex Tissaro Flex One-Way Stretch Display Fabric 260gsm Flex is a super supple fabric, perfect for punchy prints on stretch frame systems. It produces accurate and appealing graphics that don't distort when stretched.</p> <p>100% polyester design Fire: DIN fire-rated Weight: 260gsm Denier: 150 x 70 Weave method: Warp-knitted Fixation temperature: 190-210°C, 1-2 min Yellowing temperature: &gt;210°C\</p> <p><b>Frame:</b> Tubular aluminium frame with numbered poles that click together.</p>
<b>Printing Process</b>	Dye-sublimation printing for durable, high-quality fabric graphics.
<b>Sizes</b>	800mm x 2280mm
<b>Sustainability</b>	Check with your local recycling facility to find out if they accept aluminium or fabric and if there are any special handling requirements.
<b>Environment</b>	Most suitable for indoor use. Suited to temporary outdoor use, weather permitting, keep dry to prevent rust and preserve the quality of the print.

# *All Things* A-Frames

Stand Tall No Matter the Forecast

A-Frames are your ultimate tool for grabbing attention, rain or shine! Featuring a sleek brushed aluminium frame that's lightweight yet sturdy, they're perfect for outdoor spaces. Available in A1 and A2 sizes, these signs make swapping posters effortless, keeping your messaging fresh and engaging.





## Product Information

### 01. Durable and Weather-Resistant

Built with sturdy aluminium and PVC graphics, these A-frames are designed to endure outdoor conditions while keeping your message clear and vibrant.

### 02. Portable and Easy Setup

Lightweight and foldable, they're simple to transport and quick to assemble, making them ideal for on-the-go promotions, events and businesses.

### 03. Dynamic Graphics

Features interchangeable, high-quality graphics, allowing for endless adaptability in promotions, signage, or branding needs.

## Why Choose A-Frames?

A-frames are your ultimate marketing tool, designed to captivate attention and drive results wherever they're placed. Whether you're promoting an event, guiding customers, or showcasing seasonal deals, A-frames are the versatile, stylish solution that works as hard as you do.

- **Boost Foot Traffic:** Draw in the highstreet with eye-catching storefront displays, turning window shoppers into customers.
- **Event Promotions:** Promote limited-time offers, events, or sales in high-traffic areas to increase attendance and sales.
- **Point-of-Purchase Advertising:** Place in retail environments to showcase offers, sales, or new arrivals, encouraging customers to make that final purchase.
- **Seasonal Campaigns:** Promote seasonal discounts or themed offers and capitalises on festive or time-sensitive buying opportunities.
- **Effective Wayfinding:** Perfect for guiding customers to key areas like entrances, exits, parking, or event zones, ensure smooth navigation in busy environments.


# Technical Specifications

## Size Guide

Minimum: 420mm x 594mm

Maximum: 594mm x 841mm

6.0ft / 1828.80mm	_____
5.4ft / 1645.92mm	_____
4.8ft / 1463.04mm	_____
4.2ft / 1280.16mm	_____
3.6ft / 1097.28mm	_____
3.0ft / 914.40mm	_____
2.4ft / 731.52mm	_____
1.8ft / 548.64mm	_____
1.2ft / 365.76mm	_____
0.6ft / 182.88mm	_____



## Assembly Instructions

Follow these straightforward steps to display your A-Frame:

- Unfold the A-Frame until it locks securely in place.
- The frame comes pre-fitted with weatherproof 220mic PVC Matt White posters.
- To change the graphics, simply flip open the edges of the frame.
- Remove the protective plastic cover.
- Slot in your new artwork, ensuring it's aligned properly.
- Replace the cover and snap the frame edges back into place.

## Care Instructions

To maintain the quality and longevity of your A-Frame:

- Wipe the frame clean with a soft, damp cloth to remove dirt and dust.
- Avoid using harsh chemicals or abrasive materials that may damage the surface.
- Store indoors when not in use to protect against prolonged exposure to extreme weather.

## Additional Information


<b>Materials Information</b>	<p><b>Frame:</b> Herald Silver Outdoor A-Frame A classic A-frame design boasting refined features to enhance its performance, the Herald Outdoor A Frame can be used either single or double sided.</p> <p>The smart, brushed aluminium frame is both lightweight and strong while a sturdy hinge ensures stability, making the Herald ideal for both indoor and outdoor use on busy thoroughfares. Graphics are quickly and easily inserted using the convenient front loading snap frames, while anti-glare poster covers protect your graphics from fading and maximise visibility in bright sunlight. The frame folds completely flat for easy transportation and storage.</p> <p>Material: Aluminium/PET Cover Weight: 9kg</p> <p><b>Posters:</b> Weatherproof 220mic PVC Matt White posters. Pentaprint® PVC PR-M419/58-05/9450-493D0-ZZZ Type: PVC Colour: 1-White, opaque-158 Surface: FinMat/FinMat,2Side Corona-00</p>
<b>Printing Process</b>	Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.
<b>Sizes</b>	A1 - 420mm x 594mm A2 - 594mm x 841mm
<b>Sustainability</b>	Check with your local recycling facility to find out if they accept waterproof laminated paper or aluminium and if there are any special handling requirements.
<b>Environment</b>	<p>Suitable for indoor and outdoor use. The anti-glare poster covers protect your graphics from fading and maximise visibility in bright sunlight. Store indoors when not in use to protect against prolonged exposure to extreme weather.</p> <ul style="list-style-type: none"> <li>• Ideal storage conditions between 10 - 30°C (50 - 86°F)</li> <li>• Ideal RH 40 - 70%</li> <li>• Avoid major thermal fluctuation</li> </ul>

# Bollard Covers

Make Your Mark on the High Street

Bollard covers are the perfect way to make any promotion impossible to miss on the high street. Made from durable, weather-resistant Correx® by Corplex, these lightweight covers offer a seamless fit over bollards, providing an easy and secure solution for short to medium-term signage.





## Product Information

### 01. Effortless Setup & Eco-Friendly

Easy, tool-free installation with pre-creased, glue-free tabs, and made from recyclable materials for a sustainable advertising solution.

### 02. Durable & Weather-Resistant

Made from lightweight Correx® by Corplex, these covers are built to withstand the elements, making them ideal for short to medium-term promotions.

### 03. Vibrant & Customisable

Ensure your message stands out with crisp images, sharp text, and vibrant colours that capture attention on any high street.

## Why Choose Bollard Covers?

Make your promotions impossible to miss with high-resolution bollard covers that deliver sharp text and bold colours in busy, high-traffic areas. Made from durable, weather-resistant Correx®, they're lightweight and easy to install with pre-creased, glue-free tabs. Fully recyclable, these covers offer a hassle-free, eco-friendly way to boost brand visibility on the high street.


- **Storefront Promotions:** Capture the attention of passers-by with vibrant, eye-catching bollard covers that promote your latest deals and drive foot traffic to your business.
- **Event Advertising:** Create a buzz and ensure your event stands out with striking, temporary bollard covers that guide visitors and piques their interest as they approach.
- **Public Space Branding:** Maximise your brand's visibility in bustling locations, using high-impact bollard covers that engage large crowds and enhance brand recognition.
- **Safety Signage:** Use as temporary signage around building sites or high-risk areas and ensure a safe environment.
- **Directional Help:** Guide visitors to find their way easily with clear, easy-to-read bollard covers that guide them to key locations, enhancing their experience and satisfaction.

# Technical Specifications

## Size Guide

Unassembled Sheet: 1185 x 1122mm

Panel: 360mm x 1122mm



## Assembly Instructions

Follow these straightforward steps to display your bollard cover:

- Remove the bollard covers from the packaging and lay them out on a flat surface.
- Begin by aligning the fastening tabs on the edges of the panels. Slide and interlock the tabs into place to secure each panel. No glue or additional tools are required.
- Press the interlocked panels firmly to ensure they stay securely fastened.
- When you need to remove or replace, simply pull apart the interlocked panels at the fastening tabs.

## Care Instructions

To maintain the quality and longevity of your bollard cover:

- If using outdoors, regularly clean the bollard cover with a damp cloth and mild detergent to remove dirt and debris. Avoid using harsh chemicals or abrasives that could damage the surface.
- If the bollard cover is removed, store it in a dry, cool place to prevent any warping or degradation from excessive sunlight or moisture.
- Check the fastening tabs and overall condition of the cover periodically to ensure a secure fit.
- While the cover is durable, avoid heavy impacts or sharp objects that could puncture or tear the material.

## Additional Information

<b>Materials Information</b>	<p>Crafted from 3.5mm thick Correx® by Corplex fluted corrugated plastic.</p> <p>Correx® can be handled at normal processing temperatures. Small quantities of fumes are evolved at about 220°C due to a partial volatilisation of some stabilisers and/or of lower molecular weight hydrocarbons. These gradually increase until at about 300°C decomposition and oxidative pyrolysis proceeds at an appreciable rate.</p>
<b>Printing Process</b>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p>
<b>Finishing Method</b>	<p>Our bollard covers arrive flat, pre-creased and ready to assemble. Thanks to glue-free fastening tabs, the panels effortlessly interlock for a secure fit.</p>
<b>Sizes</b>	<p>Total size: 1185 x 1122mm. Each panel is 360mm x 1122mm. They fit seamlessly over most bollards up to 205mm in diameter.</p>
<b>Sustainability</b>	<p>Made from fluted corrugated plastic, they're fully recyclable.</p>
<b>Environment</b>	<p>Suitable for indoor and outdoor use.</p>

# Café Barriers

Attract Attention and Draw In Customers

Transform your café barriers into eye-catching advertising! Perfect for outdoor dining, events, and promotions, our café barrier graphics are durable, weatherproof, and quick to set up. With various material options, you can showcase your brand while creating a stylish, functional barrier for your space.



## Product Information

### 01. Sizes to Suit Your Setup

Choose from a variety of standard graphic sizes—up to 2 metres wide—designed to fit seamlessly with your café barrier hardware. Whether you're working with a simple layout or a more complex space, you can mix and match to create a configuration that works perfectly for your business.



### 02. Standard or Premium Finish

Select the finish that best suits your space and budget. Opt for our standard powder-coated black for a more budget-friendly option, or choose a premium stainless-steel look for a high-end, polished appearance.

### 03. Built for the Outdoors

Choose from three durable stock options, all designed to withstand the elements. Whether it's wind, rain, or sun, our café barrier graphics stay vibrant, secure, and professional-looking—whatever the weather.

## Options

### Standard Terazza Nero Café Barrier

A stylish, budget-friendly choice featuring a sleek powder-coated black finish. Built for practicality, it comes with wide, weighted bases for added stability and spring clips to help secure your banner in breezy conditions.

- Contemporary black powder-coated finish.
- Includes 2x Black Bases, 1x Top Cross Rail, and 2x Bottom Clips
- Affordable, reliable solution for everyday use.

### Premium Terrazza Argento Silver Café Barrier

Make a statement with a high-end café barrier featuring an elegant polished stainless-steel finish. This premium kit offers a complete setup with top and bottom rails for a smarter, more polished display.

- Luxury polished stainless-steel finish.
- Includes 2x Silver Bases, 1x Top Cross Rail, and 1x Bottom Cross Rail.
- A premium choice for a sophisticated setup.

Material	Best For	Key Benefits	Cost
110gsm UFabrik Flag Textile	Lightweight, breathable applications such as windy outdoor areas or short-term promotions.	Strong yet lightweight breathable fabric that reduces wind resistance. Ideal for short-term use and easy to transport.	£
440gsm Banner PVC	Tough and reliable, this material is built to withstand the hustle and bustle of any busy business.	Super strong and sturdy, the thick PVC material is ideal for long-term promotions and events and is resistant to all kinds of weather.	££
260gsm Stretch Fabric	Indoor events requiring a snug, wrinkle-free finish, especially when frequent assembly is needed.	Elastic yet durable with vibrant print quality, crease-resistant for repeated use, and easy to maintain with machine washing and quick drying.	££


# Technical Specifications

## Size Guide

Minimum: 850mm x 885mm

Maximum: 1850mm x 900mm

*Note: Size does not include the frame*



## Additional Information

### Materials Information

#### 110gsm UFabrik Flag Textile

Strong, cold cut, PVC free, recyclable, REACH compliant and excellent show through.

Substrate: DIN 60001, ASTM D7641 – 100% polyester

Weave: knitted

Weight: ISO536 – 110gsm, 3.2oz/yd

Shrinkage: 190°C/60s – <2%

Fire retardancy: B1/NFPA 701 – EN13501-1/DIN 4102-1

Recommend Fixation Temperature: 190-200°C, 45-60s

Yellowing Temperature: ≥210°C

#### 440gsm Banner PVC

Description: Laminated PVC banner material; water-resistant and weatherproof.

Tensile Strength: Warp 635 / Weft 451 N/5cm

Tear Strength: Warp 125 / Weft 107 N

Temperature Resistance: -20°C to 70°C

#### 260gsm Stretch Fabric

F/Flex Tissaro Flex One-Way Stretch Display Fabric 260gsm  
Flex is a super supple fabric, perfect for punchy prints on stretch frame systems. It produces accurate and appealing graphics that don't distort when stretched.

100% polyester design

Fire: DIN fire-rated

Weight: 260gsm

Denier: 150 x 70

Weave method: Warp-knitted

Fixation temperature: 190-210°C, 1-2 min

Yellowing temperature: >210°C \

<b>Materials Information</b>	<p><b>Standard Terazza Nero Café Barrier</b> A sleek powder-coated black finish with two sturdy support mounted on wide weighted bases for optimal stability. Spring clips make it suitable for high wind exposure areas. Post weight: 1.25kg Base weight: 6.70kg</p> <p><b>Premium Terrazza Argento Silver Cafe Barrier</b> The Chrome Café Barrier is made from stainless steel giving it an elegant, chrome finish. Easy to assemble in 5 minutes. Non-slip 'no marking' plastic ring supplied on 360 mm base to prevent damage to floors. Ability to withstand wind speeds of up to 25 kph.</p>
<b>Printing Process</b>	<p><b>UFabrik Flag Textile and Stretch Fabric:</b> Dye-sublimation printing using heat to set vibrant inks into the fabric.</p> <p><b>Banner PVC:</b> Drop-on-demand digital inkjet printing.</p>
<b>Finishing Method</b>	<p><b>Standard:</b> Hemmed edges and 2 pole pockets with two eyelets on the bot-tom for bungee cord attachment.</p> <p><b>Premium:</b> Hemmed edges and 2 pole pockets.</p>
<b>Sizes</b>	<p><b>Standard</b> Standard 1m Café Barrier – Banner Size: 860mm (W) x 980mm (H) Standard 1.5m Café Barrier – Banner Size: 1360mm (W) x 980mm (H) Standard 2m Café Barrier – Banner Size: 1860mm (W) x 980mm (H)</p> <p><b>Premium</b> Premium 1m Café Barrier – Banner Size: 860mm (W) x 1040mm (H) Premium 1.5m Café Barrier – Banner Size: 1360mm (W) x 1040mm (H) Premium 2m Café Barrier – Banner Size: 1860mm (W) x 1040mm (H)</p>
<b>Kit</b>	<p><b>Standard Full Kit</b> – 2x black bases and poles, 1 top cross rail (top), 2 bungee cords (bottom)</p> <p><b>Premium Full Kit</b> – 2x silver bases and poles, 2 cross rails (top and bottom)</p> <p><b>Standard Extension Kit</b> – 1x black base and pole, 1 top cross rail (top), 2 bungee cords (bottom)</p> <p><b>Premium Extension Kit</b> – 1x silver base and pole, 2 cross rails (top and bottom)</p> <p><b>Graphic only</b></p>
<b>Environment</b>	<p>Suitable for both indoor and outdoor use.</p>
<b>Sustainability</b>	<p>Check with your local recycling facility to find out if they accept fabric, PVC and stainless steel and if there are any special handling requirements.</p>

# Feather & Teardrop Flags

Grab Attention with Bold Advertising in Any Environment

Make your message stand tall with custom flags, perfect for outdoor events, storefronts, or exhibitions. Designed to grab attention in any setting, they come in a variety of shapes and sizes. Printed on weather-resistant material, these durable flags ensure your branding stands out, rain or shine.





## Product Information

### 01. Built to Withstand the Elements

Printed on durable 110gsm UFabrik Flag Textile, our flags feature wind-resistant material, a secure pole pocket hem, and a robust full-fibre flagpole—designed to withstand wind speeds up to 45 kph, ensuring reliability in all British weather.

### 02. Tailored to Your Needs

All flags are made to order for a perfect fit. Available in teardrop or feather shapes and sizes from small to XL, they suit any setting. Choose from four bases for stability in any environment.

### 03. Effortless Mobility & Setup

Lightweight and portable, these flags are perfect for events and pop-up shops. Easily assembled in 2 minutes by one person, they come with a carry case for convenient transport and quick setup.



#### Ground Spike

Our most affordable base option, this is a metal ground spike that is used for softer ground such as sand or grass.



#### 20L Standard Base

A strong, square base you can fill with 20 litres of water. This is a great option and can hold any size flag.



#### 30L Tyre Base

Our heaviest flag base, it holds 30 litres of water. This option will hold your message high on even the windiest of days!




#### 2-Pronged Tyre Base

Achieve a sturdy flag setup with our 2-pronged tyre base. Simply roll your vehicle's tyre over it for unbeatable stability.

# Technical Specifications

## Size Guide



## Care Instructions

To maintain the quality and longevity of your flag:

- A flag typically lasts 4 to 6 months, but longevity can be increased by following these care tips.
- In extreme weather conditions, please remove your flags and store them safely indoors.
- Ensure there is sufficient space for your flag to rotate freely.
- When using your flag for the first time in wet conditions, there may be a chance of colour running. This can be easily fixed by washing the flag after use.
- Flags can be hand or machine washed at 30°C using regular household detergents.
- Flat dry your flag and avoid ironing to maintain its quality.

## Additional Information

<b>Materials Information</b>	<p>110gsm UFabrik Flag Textile – Strong, cold cut, PVC free, recyclable, REACH compliant and excellent show through.</p> <p>Substrate: DIN 60001, ASTM D7641 – 100% polyester  Weave: knitted  Weight: ISO536 – 110gsm, 3.2oz/yd  Shrinkage: 190°C/60s – &lt;2%  Fire retardancy: B1/NFPA 701 – EN13501-1/DIN 4102-1  Recommend Fixation Temperature: 190–200°C, 45–60s  Yellowing Temperature: ≥210°C</p>
------------------------------	--

<b>Printing Process</b>	Dye-sublimation printing using heat to set vibrant inks into the fabric.
<b>Finishing Method</b>	Hemmed with pole pocket.
<b>Environment</b>	Suitable for both indoor and outdoor use.
<b>Sizes</b>	<p><b>Small</b>            Feather: Finish Size 1860 x 630mm, Assembled Height 2260mm            Teardrop: Finish Size 1515 x 687mm, Assembled Height 2180mm</p> <p><b>Medium</b>            Feather: Finish Size 2860 x 690mm, Assembled Height 3610mm            Teardrop: Finish Size 2218 x 862mm, Assembled Height 3120mm</p> <p><b>Large</b>            Feather: Finish Size 3860 x 690mm, Assembled Height 5010mm            Teardrop: Finish Size 3818 x 862mm, Assembled Height 4360mm</p> <p><b>Extra Large</b>            Feather: Finish Size 4860 x 690mm, Assembled Height 6340mm</p>
<b>Base Options</b>	<p><b>Ground Spike</b> – Our most budget-friendly base, made of durable metal and ideal for securing flags in soft ground, like fields. Perfect for one-day events.</p> <p><b>20 Litre Base</b> – A sturdy, square base that can be filled with 20 litres of water for added stability. Suitable for flags of any size.</p> <p><b>30 Litre Tyre Base</b> – Our heaviest option, holding up to 30 litres of water. This base ensures your flag stands tall, even in strong winds.</p> <p><b>2-Pronged Tyre Base</b> – Achieve a sturdy flag setup with our 2-pronged tyre base. Simply roll your vehicle's tyre over it for unbeatable stability.</p>
<b>Additional Information</b>	<ul style="list-style-type: none"> <li>Full fibre flagpole is durable, lightweight, and can withstand wind speeds of up to 45 kph.</li> <li>Premium fabric carry case included.</li> </ul>
<b>Sustainability</b>	The polyester flag and flagpole can be recycled.

# Heras® Fence Covers

Never Miss a Chance to Market Your Message

Turn bland fences into bold branding! Our Heras® fencing graphics are perfect for events, construction sites, and outdoor advertising, they're durable, weatherproof, and easy to install. With a choice of stocks, you can make your message pop while protecting your site or showcasing your brand.



## Product Information

### 01. Stocks and Sizes to Suit You

Our Heras® fence covers come in a range of standard sizes for fences, barriers and gates offering the perfect fit for any project. With three stock options to choose from you're in control when it comes to marketing your business and protecting your privacy.




### 02. Fully Customisable Finish

Our Heras® fence covers are hemmed for a seamless look. Plastic rust resistant eyelets will be added every 50cm for easy installation and there's an option for square or angled corners for a secure, hassle-free fit every time.

### 03. Fade and Weather Resistant

Using cutting-edge printers, our Heras® fence cover colours stay sharp, bold, and bright, no matter what the weather throws at them. Plus, both the Air-mesh and Mesh materials allow wind to pass through ensuring your fence stays safely in place.




## Options

Stock	Best For	Key Benefits	Cost
110gsm Air-mesh Polyester	Lightweight, breathable applications such as temporary fencing at events or construction sites.	Strong yet lightweight breathable fabric that reduces wind resistance. Ideal for short-term use and easy to transport.	£
440gsm Banner PVC (Crowd Barrier Only)	Tough and reliable, this cover is exclusively designed for crowd barriers, built to withstand the hustle and bustle of any event.	Super strong and sturdy, the thick PVC material is ideal for long-term promotions and events and is resistant to all kinds of weather.	£
370gsm Mesh PVC	Durable, long-lasting fencing that can handle tough environments.	Heavy-duty, robust material that's weatherproof and fade resistant. Perfect for more permanent installations or high-traffic areas.	££

# Technical Specifications

## Size Guide



## Assembly Instructions

Follow these straightforward steps to secure your cover effectively:

- Place the fencing where you want it installed, aligning it with the posts.
- Use cable ties, ropes, or bungee cords to attach the eyelets to the posts. Ensure they're tight but not too tight.
- Adjust the fence for a taut, straight fit to prevent sagging.
- Ensure all eyelets are secure and the fence is stable.

## Care Instructions

To maintain the quality and longevity of your cover:

### Airmesh

- Machine wash on a gentle cycle with cold water and mild detergent.
- Do not tumble dry; air dry only to maintain fabric tension.
- Avoid using bleach or harsh chemicals that can damage the print.
- When not in use, store in a clean, dry space to prevent creasing or discolouration.

### Banner PVC and Mesh

- Clean regularly with a damp cloth to remove dirt and debris.
- Avoid harsh chemicals or abrasive cleaning materials.
- Store rolled (not folded) in a cool, dry place when not in use.
- Ensure proper tensioning during installation to minimise unnecessary strain.
- Periodically check eyelets and edges for wear and tear, particularly after storms.

## Additional Information

<b>Materials Information</b>	<p><b>110gsm UFabrik Flag Textile</b>  Strong, cold cut, PVC free, recyclable, REACH compliant and excellent show through.  Substrate: DIN 60001, ASTM D7641 – 100% polyester  Weave: knitted  Weight: ISO536 – 110gsm, 3.2oz/yd  Shrinkage: 190°C/60s – &lt;2%  Fire retardancy: B1/NFPA 701 – EN13501-1/DIN 4102-1  Recommend Fixation Temperature: 190–200°C, 45–60s  Yellowing Temperature: ≥210°C</p> <p><b>440gsm Banner PVC</b>  Description: Laminated PVC banner material; water-resistant and weatherproof.  Tensile Strength: Warp 635 / Weft 451 N/5cm  Tear Strength: Warp 125 / Weft 107 N  Temperature Resistance: -20°C to 70°C</p> <p><b>370gsm Mesh PVC</b>  Description: PVC mesh with 25% airflow; ideal for low-level building wraps and windy conditions. Expanse MB3 Mesh Banner works well as a wrap on one-to-two storey buildings.  Tensile Strength: Warp 1250 / Weft 1100 N/5cm  Tear Strength: Warp 235 / Weft 220 N  Temperature Resistance: -20°C to 70°C</p>
<b>Printing Process</b>	<p><b>Airmesh:</b> Dye-sublimation printing using heat to set vibrant inks into the fabric.</p> <p><b>Banner PVC and Mesh:</b> Drop-on-demand digital inkjet printing.</p>
<b>Finishing Method</b>	Stitched and hemmed edges with plastic eyelets every 50cm and a choice of square or angled corners for easy, secure installation. Cable ties included.
<b>Sizes</b>	2200 x 900mm – Crowd Barrier Cover. 1050 x 1755mm – Heras® Fence Pedestrian Gate. 2050 x 1755mm – Heras® Fence Vehicle Gate. 3370 x 1755mm – Heras® Fence Cover.
<b>Sustainability</b>	The polyester fabric can be recycled. PVC mesh materials are widely recyclable.
<b>Environment</b>	Suitable for both indoor and outdoor use.

# Outdoor Banners

Durable PVC Banners That Stay Bright and Bold, Rain or Shine

Our outdoor banners provide a durable and impactful advertising solution, ideal for promoting events, businesses, or sales in all weather conditions. Designed to be versatile and crafted with high quality materials and UV resistant ink, these banners are perfect for both short-term promotions and long-term outdoor display.





## Product Information

### 01. Weatherproof Performance

Welded hems on all of our banners (never taped) ensure they can withstand anything that the British weather can throw at them. The plastic eyelets we use are heavyweight and resistant to rust.

### 02. Fully Customisable

All banners are manufactured to order enabling exact size fit. Two stock options to suit a range of applications. Eyelet options enable a secure fit for all applications.

### 03. Fade Resistant

Printing with specialist UV-resistant inks ensure that colours remain vibrant and don't dull.



## Options

- Custom sizes available for fully bespoke display solutions.
- Ranges from 0.5m x 1m to 3m x 15m, suitable for displays of any scale.
- Eyelet options include none, corners only, or every 50cm for enhanced weather resistance.


Stock	Best For	Key Benefits	Cost
440gsm Banner PVC	General outdoor use, trade shows and events. Short to medium-term campaigns, and standard promotional banners.	Lightweight and durable. Ideal for everyday banners that need to make an impact.	£
370gsm Mesh PVC	Banners displayed in windy areas, like construction, sites, festivals, or large outdoor installations.	Perforated to allow wind to pass through, reducing the chances of tearing in windy conditions.	££

# Technical Specifications

## Size Guide

Minimum: 0.5m x 1m

Maximum: 3m x 15m



## Mounting Instructions

Follow these straightforward steps to secure your banner effectively:

- Use the provided heavy-duty cable ties for easy, secure mounting.
- Allow the banner's weight to naturally reduce creases as it hangs.
- Ensure an even, balanced tension across the banner to prevent overstretching.

### Alternative Mounting Options:

For added flexibility, consider bungee cords, screws, or rope, depending on your installation needs.

## Care Instructions

To maintain the quality and longevity of your banner:

- Clean regularly with a damp cloth to remove dirt and debris.
- Avoid harsh chemicals or abrasive cleaning materials.
- Store rolled (not folded) in a cool, dry place when not in use.
- Remove in extreme weather, such as high winds, to prevent damage.
- Ensure proper tensioning during installation to minimise unnecessary strain.
- Periodically check eyelets and edges for wear and tear, particularly after storms.

## Additional Information

<b>Materials Information</b>	<p><b>440gsm Banner PVC</b>          Description: Laminated PVC banner material; water-resistant and weatherproof.          Tensile Strength: Warp 635 / Weft 451 N/5cm          Tear Strength: Warp 125 / Weft 107 N          Temperature Resistance: -20°C to 70°C</p> <p><b>370gsm Mesh PVC</b>          Description: PVC mesh with 25% airflow; ideal for low-level building wraps and windy conditions. Expanse MB3 Mesh Banner works well as a wrap on one-to-two storey buildings.          Tensile Strength: Warp 1250 / Weft 1100 N/5cm          Tear Strength: Warp 235 / Weft 220 N          Temperature Resistance: -20°C to 70°C</p>
<b>Printing Process</b>	Drop-on-demand digital inkjet printing.
<b>Finishing Method</b>	Stitched and hemmed edges. Plastic eyelets every 50cm or in all four corners for easy, secure installation. Optional: No eyelets available on request. Cable ties included.
<b>Environment</b>	Suitable for both indoor and outdoor use.
<b>Sustainability</b>	PVC stocks require specialist facilities for recycling. Mesh materials are widely recyclable.

# All Things Posters

Posters That Command Attention, Any Time, Anywhere

Our posters deliver your message with flair, indoors or outdoors, rain or shine. From vibrant standard posters to waterproof options that brave the elements, we've got you covered. Need bigger? Large format posters grab attention in high-traffic areas, while backlit designs illuminate your brand round the clock.





## Posters

Make a statement with high-quality posters, perfect for promotions, events, or branding. Choose from a range of silk and uncoated stocks and selection of sizes and ensure your message gets noticed, no matter the setting.

- Crisp, vibrant printing for attention-grabbing visuals.
- Lightweight and easy to display on walls or noticeboards.
- Cost effective and budget friendly alternative to signage.



## Waterproof Posters

Ensure your message stays bold and vibrant, rain or shine, with our waterproof posters. Made from durable 220mic or 400mic PVC paper, they're built for outdoor events, promotions, and long-term displays, keeping colours sharp in any weather.

- Weatherproof and durable for outdoor use.
- Tear-resistant material for longer-lasting displays.
- Easy wipe clean surface for all business settings.



## Large Format Posters

Go big or go home with large format posters that demand attention at events, exhibitions, or storefronts. With a choice of silk and waterproof stocks and printed with vibrant colours and stunning details, large format posters make your message unforgettable.

- Perfect for impactful visuals in large spaces.
- High-resolution printing ensures sharp, detailed designs.
- Versatile for use as backdrops, advertisements, or artwork.



## Backlit Posters

Illuminate your message with backlit posters, designed to shine in lightbox displays. Perfect for cinemas, retail displays, or night-time advertising, they're durable, water-resistant, easy to install and come complete with a matte coating to reduce glare.

- Stunning visuals even in low-light settings.
- Compatible with lightboxes for professional displays.
- High contrast and image quality with even light distribution.


# Technical Specifications

## Size Guide

Minimum: 100mm x 100mm

Maximum: 1524mm x 1524mm

*Custom sizes are available across our posters range.*



## Assembly Instructions

Posters, Waterproof Posters and Large Format Posters:

- Use poster frames, clips, or adhesive strips for a clean and secure display.

Backlit Posters:

- Simply insert the poster into your chosen lightbox, display or exhibition stand.

## Care Instructions

To maintain the quality and longevity of your posters:

- **Posters:** keep dry and flat.
- **Waterproof:** simply wipe clean with a damp cloth.
- **Backlit Posters:** store in original packing, cool and dry.

## Additional Information

<b>Materials Information</b>	<p><b>Posters:</b> FSC®-certified stocks including silk, uncoated and waterproof.</p> <p><b>Waterproof Posters:</b> Durable 220mic or 400mic PVC paper..</p> <p><b>Large Format Posters:</b> Premium FSC®-certified silk stocks in 170gsm, or 250gsm or opt for waterproof 220mic and 400mic PVC.</p> <p><b>Backlit Posters:</b> Coala Backlit S, a 205 microns translucent matt polyester backlit film designed for light boxes.</p> <ul style="list-style-type: none"> <li>• Thickness: 205 mic</li> <li>• Grammage 275 g/m<sup>2</sup> N/A</li> <li>• Gloss 60°: 5 % ASTM D2457</li> <li>• Gloss 85°: 8 % ASTM D2457</li> <li>• Shade (fs) L: 85 ANSI T (D50/2°/Abs/No)           <ul style="list-style-type: none"> <li>a: 1.0</li> <li>b: -7.0</li> </ul> </li> </ul>
<b>Printing Process</b>	Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.
<b>Sizes</b>	<p><b>Posters:</b> Minimum: 100 x 100mm / Maximum: 594 x 847mm</p> <p><b>Large Format Posters:</b> Minimum: 210 x 297mm / Maximum: 1524 x 1524mm</p> <p><b>Backlit:</b> Minimum: 210 x 410mm / Maximum: 841 x 1189</p> <p><b>Waterproof:</b> Minimum: 297 x 420mm / Maximum: 512 x 847mm</p>
<b>Sustainability</b>	Our silk and uncoated posters are printed FSC®-certified paper and are fully recyclable. For waterproof and backlit, please check with your local recycling facility to find out if they accept waterproof laminated paper or polyester backlit film and if there are any special handling requirements.
<b>Environment</b>	Our silk and uncoated posters are suitable for indoor use only unless placed in a waterproof frame. Waterproof and backlit are both suitable for indoor and outdoor use.

# Magnetic Signs

Make Your Brand Stick – Everywhere, Anytime

Magnetic signs offer endless possibilities for creative and adaptable messaging! Our magnetic signs are perfect for everything from temporary vehicle graphics to dynamic in-store displays. With a high pull rating and the ability to adhere to both flat and curved surfaces, they provide a reliable, removable solution for any promotion or informational need.



## Product Information



### 01. Strong & Secure

High magnetic pull ensures a firm hold on both flat and curved surfaces, keeping your message in place.

### 02. Durable & Weather-Resistant

Crafted from tough 850-micron gloss vinyl for long-lasting, all-weather performance without wear or tear.

### 03. Vibrant & Customisable

Ultra-high-resolution printing delivers bold colours and sharp details, making your message pop. Available in sizes from A4 to A1, and with custom sizes to suit any project you may have.

## Why Choose Magnetic Signs?

Magnetic signs are the ultimate flexible branding tool, perfect for everything from vehicle graphics to in-store promotions. Easy to apply, remove, and reposition, they let you update your message whenever you need without any hassle. With vibrant, high-quality printing and a durable, weather-resistant finish, your brand will stand out wherever you go. Whether for business or events, magnetic signs make sure your message sticks...literally and in the minds of your audience.

- **Vehicle Graphics:** Ideal for temporary vehicle signage, ensure your message sticks in the minds of passers-by and gets noticed wherever your vehicles go, driving brand awareness.
- **Retail Promotions:** Perfect for in-store advertising or point-of-sale displays, capture customers' attention right where it matters most – at the point of purchase.
- **Service Stickers:** Great for use on appliances, equipment, or machinery to display instructions or safety information, making maintenance and safety compliance a breeze.
- **Event Signage:** Ensure your event stands out with vibrant, portable signage that can be easily repositioned to suit your changing needs and guide attendees to key areas.
- **Custom Labels:** Create custom labels for surfaces like filing cabinets, doors, or inventory perfect for organising, branding, or providing instructions.


# Technical Specifications

## Size Guide

Minimum: 210mm x 297mm

Maximum: 594 x 841mm

*Custom sizes are available across our magnetic sign range.*



## Assembly Instructions

Follow these straightforward steps to display your magnetic sign:

- Clean your surface where it will be applied using a mild detergent. Wipe dry with a soft cloth or allow it to air dry completely.
- Ensure the area is flat, smooth, and free of ridges, indents, rust, or any uneven spots for optimal adhesion.
- Starting at one corner, gently allow the magnetic pull to bring the sign and the surface together. Smooth it out as you go to avoid air pockets.
- If you need to move the magnetic sign, lift it off completely from the sides rather than sliding it across the surface to prevent damage.
- Make sure the magnetic sign is securely fixed before use, especially if it's on a moving object

## Care Instructions

To maintain the quality and longevity of your magnetic sign:

- Wipe both the magnetic sign and the surface it's attached to with a soft, damp cloth and mild detergent. Avoid abrasive cleaners that can damage the magnet or surface.
- Detach the magnetic to clean underneath and prevent dirt build-up or moisture from affecting adhesion.
- When not in use, lay the magnetic signs flat in a cool, dry place. Avoid folding, rolling, or storing near heat sources to maintain their shape and magnetic strength.

## Additional Information

<b>Materials Information</b>	<p>Flexible Magnetic Sheeting with Outdoor Gloss / Matt White PVC Film.      Standard Thickness: 0.85mm (Vehicle grade) (<math>\pm 0.03\text{mm}</math>)      Standard Width: 620mm, 1020mm, 1270mm (+3mm / -0)      Standard Length: 30 / 10m (+0.5m / -0)</p> <p><b>Magnetic Properties</b></p> <p>Maximum Energy Product: 0.65 – 0.57MGOe      Remanence: 1600–1900g      Coercivity: 1200 – 1500Oe      Intrinsic Coercivity: 2200 – 2500Oe</p> <p><b>Magnetic Pole Width and Magnetic Pull</b></p> <p>Magnetic Pole Width: 2.0mm      Thickness of Magnetic Material – 0.75mm vehicle grade (0.85mm with coating)      Magnetic Pull (g/cm<sup>2</sup>): 55</p> <p><b>Physical Properties</b></p> <p>Flexibility: Can be wrapped around a rod with a 12mm radius at 20°C without cracking.      Specific Gravity: 3.5 – 3.7g/cm<sup>3</sup>      Cutting: Scissor cutting, knife-cutting, die-cutting, and slitting can be done with ease.</p> <p><b>Temperature Resistance</b></p> <p>End- use temperature range: -30°C / +55°C      Short term resistance: 65°C</p> <p><b>Back coating:</b>      The magnetic sheeting has a UV hardening coating.</p>
<b>Printing Process</b>	Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.
<b>Sizes</b>	A1 – 594mm x 841mm A2 – 420mm x 594mm A3 – 297mm x 420mm A4 – 210mm x 297mm Custom – Sizes between 100mm and 680mm
<b>Sustainability</b>	Check with your local recycling facility to find out if they accept magnets and if there are any special handling requirements.
<b>Environment</b>	Suitable for outdoor use. 2-year durability under Middle European exposure conditions. Exposure to severe humidity, ultra-violet light or conditions found in tropical, subtropical or desert regions will cause a more rapid deterioration.

# All things whiteboards

Clear the Way for Creative Ideas

Whiteboards offer a versatile and wipeable solution for ideating, planning, to-do lists, and more. Our flexible boards feature vibrant designs while leaving ample room for writing in the unprinted areas, perfect for daily notes or temporary messaging. Easily wipeable, they stay looking fresh and ready for use, a practical choice for any setting.





## Product Information

### 01. Versatile & Customisable

Perfect for brainstorming, planning, or daily notes, with vibrant designs and ample unprinted space for all your ideas.

### 02. Easy to Maintain

The wipeable surface ensures your board stays fresh and clean, ready for quick updates and repeated use without staining.

### 03. Built to Last

Crafted from durable materials and available in multiple sizes, these boards are designed to withstand daily wear while fitting seamlessly into any environment.

## Why Choose Whiteboards?

Whiteboards are a versatile solution for brainstorming, planning, and daily note-taking, featuring vibrant designs with plenty of space for writing. Their easy-to-clean, wipeable surface keeps them looking fresh, making them ideal for frequent updates and temporary messages. Built from durable materials and available in a range of sizes, they're designed to withstand daily use while fitting seamlessly into any workspace, classroom, or event setting.

- **Office Productivity:** Keep your team organised and focused with a dynamic, wipeable surface that allows for easy updates and ideas during meetings, ensuring productivity stays on track.
- **Educational Use:** Facilitate effective learning and idea-sharing with a flexible whiteboard that provides instant clarity and can be updated as discussions evolve.
- **Event Coordination:** Keep event attendees informed with clear, visible schedules and real-time updates that can be easily erased and modified as plans unfold.
- **Collaborative Work:** Foster teamwork by providing a central space for ideations, feedback, and ongoing communication in collaborative office settings.
- **Sports Strategy:** Perfect for coaches and teams, whiteboards offer a clear, flexible surface to map out formations, tactics, and plays, allowing for quick adjustments and real-time strategy shifts during training sessions and matches.


# Technical Specifications

## Size Guide

Minimum: 210mm x 297mm

Maximum: 841 x 1189mm

*Custom sizes are available across our whiteboard range.*



## Assembly Instructions

Follow these straightforward steps to display your whiteboard:

### Choose Your Mounting Method:

- **Wall Mounting:** Mark mounting points, drill holes, insert wall anchors, and screw the brackets in place before hanging the whiteboard securely. Alternatively, clean the wall surface, apply command strips, press the whiteboard into place, and hold until fully adhered.
- **Freestanding:** Assemble the stand or frame, then secure the whiteboard into place.

### Best Practices:

- Ensure your surface is clean and flat for best adhesion.
- Use a level to ensure your whiteboard is straight before fixing it in place.

## Care Instructions

To maintain the quality and longevity of your whiteboard:

- Always use pens specifically designed for whiteboards. Avoid permanent markers or inks as they can damage the surface and be difficult to erase.
- Wipe the whiteboard with a dry eraser after each use. For tougher stains, use a damp cloth or whiteboard cleaner. Avoid abrasive materials that may scratch the surface.
- Do not use strong chemicals or solvents, as they can damage the print. Stick to mild detergents for cleaning if necessary.

## Additional Information


<b>Materials Information</b>	<p>Pentaprint® PVC PR-M180/23-04/8400-120_1-zzz          Description: high impact strength and suitable for screen printing, UV offset and inkjet-UV.          Quality segment: Print film          Type: PVC          Colour: 1-White, opaque-023          Surface: Glossy / Glossy-02          Additional treatment: No additional treatment-00            Thickness base film: DIN 53370 / ISO 4593 µm 80 ... 900</p>
<b>Printing Process</b>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p>
<b>Sizes</b>	<p>A0 – 841mm x 11895          A1 – 594mm x 841mm          A2 – 420mm x 594mm          A3 – 297mm x 420mm          A4 – 210mm x 297mm          Custom – Sizes between 100mm and 841mm</p>
<b>Sustainability</b>	<p>Check with your local recycling facility to find out if they accept whiteboards and if there are any special handling requirements.</p>
<b>Environment</b>	<p>Suitable for indoor use only.            Ideal storage conditions between 10 – 30°C (50 – 86°F).            Ideal RH 40 – 70%.            Should not be stored in direct sunlight and avoid major thermal fluctuation.            Store in original packaging.            Recommended use of the material within one year of production date.</p>

# *All Things* Signage

Signage That Speaks Volumes, Indoors and Out


Our signage solutions offer versatile, durable options to showcase your brand in style. Whether for eye-catching indoor displays or weatherproof outdoor signage, our materials ensure maximum impact and reliability. From sleek Aluminium Composite to eco-friendly Correx®, we have the perfect solution for your business.





### Correx® by Corplex

A cost-effective advertising solution for short-term campaigns or perfect temporary signage for events, promotions, or construction sites.




### Display Board

Great for short-term advertising campaigns requiring a professional finish such as point-of-sale stands, posters, or presentations.



### Foamalite Express

Perfect for short term outdoor use and indoor displays needing a lightweight yet sturdy material like events, exhibitions, or presentations.



### Aluminium Composite

A durable, weatherproof signage solution ideal for outdoor use. Perfect for long-term branding solutions, such as shopfronts or directional signs.

## Options

Products	Material	Key Benefits	Cost
Correx® by Corplex	3.5mm thick Correx® by Corplex fluted corrugated plastic.	Lightweight and easy-to-move solution that's weatherproof and suitable for outdoor use.	£
Display Board	Sturdy 2000mic premium board.	Cost-effective solution for indoor signage that's lightweight and easy to install or move.	£
Foamalite Express	Durable 3mm or 5mm PVC foam board.	Lightweight and easy to handle, ideal for temporary displays whilst maintaining a premium finish.	££
Aluminium Composite	Corrosion-resistant aluminium composite.	Sleek, modern finish for a professional look that's suitable for both indoor and outdoor applications.	£££


# Technical Specifications

## Size Guide

Minimum: 210mm x 297mm

Maximum: 841 x 1189mm

*Custom sizes are available across our signage range.*



## Assembly Instructions

### Aluminium Composite:

- Mount using screws through the pre-drilled holes, ensuring alignment with wall plugs or anchors for stability.

### Correx® by Corplex:

- Attach with cable ties, adhesive pads, or double-sided tape for lightweight and temporary displays. Ideal for quick setup and removal.

### Display Board:

- Mount with double-sided tape or adhesive pads on smooth, indoor surfaces. Lightweight design makes it easy to reposition.

### Foamalite Express:

- Fix using velcro strips, adhesive pads, or frame supports. We offer pre-drilled holes and rounded corners for added flexibility and safety.

## Care Instructions

### Aluminium Composite:

- Wipe with a damp cloth and mild soap to remove dirt. Avoid abrasive cleaners to protect the finish.

### Correx® by Corplex:

- Clean with a soft, damp cloth or sponge. Do not scrub to prevent surface damage.

### Display Board:

- Dust gently with a dry cloth; avoid water as it may warp the material.

### Foam Board:

- Use a dry or slightly damp cloth for cleaning. Keep away from excessive moisture to maintain its structure.

## Additional Information

### Materials Information

#### Aluminium Composite:

Corrosion-resistant aluminium composite made from a combination of 150-micron aluminium skins surrounding a black 100% recycled LDPE core.

Temperature Resistance -50°C to + 80°C

Impact Strength (kg cm<sup>2</sup>) 42

Boiling Water Resistance Boiling for 2hrs without change

Acid Resistance Immerse Surface in 2% HCl for 24 hrs without change

Alkali Resistance Immersed surface in 2% NaOH for 24 Hrs without change

Oil Resistance Immerse Surface in 20# engine oil for 24 hrs without change Solvent Resistance Cleaned 100 times with Dimethylbenzene without change

Cleaning Resistance >1000 times without change

Peel Strength (Newton/mm) >5

Sound Absorption NRC 0.05

Sound Attenuation Rw db 24

Water Absorption % By Volume 0.01

Thermal Performance R Values 0.0057

Core Composition Polyethylene

Reaction to Fire Classification BS476 Part 6: Class 0, Part 7: Class 1

#### Correx® by Corplex:

Crafted from 3.5mm thick Correx® by Corplex fluted corrugated plastic.

Correx® can be handled at normal processing temperatures. Small

quantities of fumes are evolved at about 220°C due to a partial

volatilisation of some stabilisers and/or of lower molecular weight

hydrocarbons. These gradually increase until at about 300°C

decomposition and oxidative pyrolysis proceeds at an appreciable rate.

<p><b>Materials Information</b></p>	<p><b>Correx® by Corplex Continued:</b>      Burning behaviour:      Typical thermal properties for polypropylene copolymer are as follows:      Softening temperature (BS 2782: 102D, ISO R306) 144°C      Crystalline melting point 165 – 175°C      Flash ignition temperature ca 350°C      Self-ignition temperature Ca 380°C      Calorific value 11000 cal. kg      Specific heat 0.46 cal gm oC      Limiting oxygen index (ASTM D2863) 0.174 – 0.180      Burn rate – Correx sheet (FMVSS 302) 5.3 – 8.2cm/min</p> <p><b>Display Board:</b>      Sturdy 2000mic Libra Display Board is a high white display board made from FBB virgin fibre liners with a grey middle of recycled fibre. Libra Display Board is available with FSC® recycled 100% certification – ref.      FSC COC Code – SA-COC-001641</p> <p>Manufacturing Variations:      Size +/- 2mm      Caliper +/- 7%      GSM +/- 7%      RH 45-75% @ 17°C – 23°C      Gloss 50 (-10) (tappi T480)      Brightness 88.5% +/- 2.0 (ISO 2470)      Whiteness 115 (ISO 2470)</p> <p><b>Foamalite Express:</b>      Durable 3mm or 5mm co-extruded expanded rigid PVC sheet consisting of high-quality white cover layers and a black recycled core.</p> <p>Apparent density (kg/m³): 400–550      Surface hardness (Shore D): 35      Max. service temperature (°C): 55      Coefficient of linear expansion (mm/m·K): 0.07      Water absorption (23°C – 24h): &lt;1% behaviour in fire: C-s3, d0 (2-10mm). M1 (2-10mm)</p>
<p><b>Printing Process</b></p>	<p>Drop-on-demand digital inkjet printing for high-definition image quality with smooth shadows, gradients, and sharp text.</p>
<p><b>Finishing Method</b></p>	<p><b>Aluminium and Foam:</b>      Options for pre-drilled holes and rounded corners. Our drilled holes are 6mm in diameter and sit 10mm from the edge of the product.</p>

<b>Sizes</b>	<p><b>Aluminium:</b> A0, A1, A2, A3, A4 &amp; custom</p> <p><b>Correx® by Corplex:</b> A0, A1, A2, A3, A4 &amp; custom</p> <p><b>Display Board:</b> A1, A2, A3 &amp; custom</p> <p><b>Foamalite Express:</b> A0, A1, A2, A3 &amp; custom</p>
<b>Sustainability</b>	<p><b>Aluminium:</b> Our aluminium composite can be split to separate the aluminium from the plastic core. Both elements can then be recycled through specialist recyclers.</p> <p><b>Correx® by Corplex:</b> Made from fluted corrugated plastic, they're fully recyclable.</p> <p><b>Display Board:</b> FSC® certified, with a core manufactured from recycled fibres, they're fully recyclable.</p> <p><b>Foamalite Express:</b> Our foam can be recycled through specialist recyclers who can recycle PVC.</p>
<b>Environment</b>	<p><b>Aluminium:</b> Suitable for indoor and outdoor use.</p> <p><b>Correx® by Corplex:</b> Suitable for indoor and outdoor use.</p> <p><b>Display Board:</b> Suitable for indoor use only.</p> <p><b>Foamalite Express:</b> Our foam board is waterproof to an extent and can be used outdoors; however, we would recommend using it in the short term or indoors only to protect your artwork.</p>

## Stock Glossary



### 115gsm Silk

Available on:

- Posters

Flexible Media



### 150gsm Silk

Available on:

- Posters

Flexible Media



### 170gsm Silk

Available on:

- Posters

Flexible Media



### 250gsm Silk

Available on:

- Posters

Flexible Media



### 90gsm Uncoated

Available on:

- Posters

Flexible Media



### 120gsm Uncoated

Available on:

- Posters

Flexible Media



### 170gsm Uncoated

Available on:

- Posters

Flexible Media



### 250gsm Uncoated

Available on:

- Posters

Flexible Media

**205mic Backlit Film**

Available on:

- *Backlit Posters*

Flexible Media

**220mic Matt White PVC**

Available on:

- *PVC Posters*

Flexible Media

**400mic Matt White PVC**

Available on:

- *PVC Posters*


Flexible Media

**330gsm Light-Stop Roll-Up Media**

Available on:

- *Roller Banners*

Flexible Media

**370gsm Mesh Banner**

Available on:

- *Heras® Fence Covers*
- *Outdoor Banners*

Flexible Media

**440gsm PVC Banner**

Available on:

- *Crowd Barriers*
- *Outdoor Banners*

Flexible Media

**500mic Stayflat Textured Pop Up**

Available on:

- *Exhibition Stands*

Flexible Media

**0.85mm Gloss White Magnetic Vinyl**

Available on:

- *Magnetic Signs*

Flexible Media



**420mic White Staufen PVC**

Available on:

- *Whiteboards*

Flexible Media



**3.5mm White Correx**

Available on:

- *Correx Signs*
- *Bollard Cover*

Rigid Media



**3mm White Foam PVC**

Available on:

- *Foam Signs*

Rigid Media



**5mm White Foam PVC**

Available on:

- *Foam Signs*
- *Selfie Frames*

Rigid Media



**2000mic Display Board**

Available on:

- *Display Board*
- *Strut Cards*

Rigid Media



**3mm Aluminium Composite**

Available on:

- *Aluminium Signs*

Rigid Media





**Aqueous Design, Print & Web**

The Hive  
6 Beaufighter Road  
Weston-super-Mare  
Somerset BS24 8EE

01934 524663  
[hello@aqpu.co.uk](mailto:hello@aqpu.co.uk)  
[www.aqpu.co.uk](http://www.aqpu.co.uk)